



Exploring the low Z-shore of the Island of Deformation at N=60 using AGATA and VAMOS

Jérémie Dudouet^{1,2}, Antoine Lemasson³, Guillaume Maquart², Gilbert Duchêne⁴

¹Centre de Sciences Nucléaires et de Sciences de la Matière, Orsay

²Institut de Physique Nucléaire, Lyon


³GANIL, Caen

⁴Institut Pluridisciplinaire Hubert Curien, Strasbourg


Colloque GANIL: 16-20 October 2017, Amboise

What are the limits of this N=60 island of deformation

- The Z=40 and N=60 region gives a remarkable example of sudden nuclear shape transition:
 - This effect seems to start at Z=42 (Mo) and \nearrow with \searrow Z
 - N=58 : quasi-spherical shape \Rightarrow N=60 : rigid rotors with large deformation ($\beta_2 \sim 0.4$)




S. Naimi *et al.*, Phys. Rev. L **105**, 032502 (2010)




What are the limits of this N=60 island of deformation

- The Z=40 and N=60 region gives a remarkable example of sudden nuclear shape transition:
 - This effect seems to start at Z=42 (Mo) and \nearrow with \searrow Z
 - N=58 : quasi-spherical shape \Rightarrow N=60 : rigid rotors with large deformation ($\beta_2 \sim 0.4$)




S. Naimi *et al.*, Phys. Rev. L **105**, 032502 (2010)




data from this experiment: ^{238}U @ 6.2 MeV/u on ^9Be

What are the limits of this N=60 island of deformation

- The Z=40 and N=60 region gives a remarkable example of sudden nuclear shape transition:
 - This effect seems to start at Z=42 (Mo) and \nearrow with \searrow Z
 - N=58 : quasi-spherical shape \Rightarrow N=60 : rigid rotors with large deformation ($\beta_2 \sim 0.4$)




S. Naimi *et al.*, Phys. Rev. L **105**, 032502 (2010)




data from this experiment: ²³⁸U@6.2 MeV/u on ⁹Be

What are the limits of this N=60 island of deformation

- The Z=40 and N=60 region gives a remarkable example of sudden nuclear shape transition:
 - This effect seems to start at Z=42 (Mo) and \nearrow with \searrow Z
 - N=58 : quasi-spherical shape \Rightarrow N=60 : rigid rotors with large deformation ($\beta_2 \sim 0.4$)




S. Naimi *et al.*, Phys. Rev. L **105**, 032502 (2010)




data from this experiment: ²³⁸U@6.2 MeV/u on ⁹Be

What are the limits of this N=60 island of deformation

- The Z=40 and N=60 region gives a remarkable example of sudden nuclear shape transition:
 - This effect seems to start at Z=42 (Mo) and \nearrow with \searrow Z
 - N=58 : quasi-spherical shape \Rightarrow N=60 : rigid rotors with large deformation ($\beta_2 \sim 0.4$)




S. Naimi *et al.*, Phys. Rev. L **105**, 032502 (2010)




data from this experiment: ²³⁸U@6.2 MeV/u on ⁹Be

$^{96}_{36}\text{Kr}_{60}$ in the literatureN. Marginean *et al.*, Phys. Rev. C 80, 021301 (R) (2009)


- Energy of the 2^+_1 excited state measured at 241 keV:
 - ⇒ Sudden drop of the $E(2^+_1)$ from ^{94}Kr to ^{96}Kr
 - ⇒ Possible rapid change in the ground state deformation as for Mo, Zr and Sr isotopic chains

S. Naimi *et al.*, Phys. Rev. L 105, 032502 (2010)


- Mass measurement of $^{96,97}\text{Kr}$:
 - ⇒ Contrary to the heavier isotopic chains, S_{2n} still decrease after N=58
 - ⇒ Result in contradiction with Marginean *et al.*

S. Albers *et al.*, Phys. Rev. L 108, 062701 (2012)

- Energy of the 2^+_1 excited state measured at 554.1 keV (no γ at 241 keV):
 - ⇒ This γ spectroscopic result imply a smooth onset of deformation in neutron-rich Kr isotopes around N=60
 - ⇒ Result in contradiction with Marginean *et al.* but validating Naimi *et al.* results



$B(E2)$, $R_{4/2}$: main indicators of collectivity




$B(E2; 2_1^+ \rightarrow 0_1^+)$: reduced electric quadrupole transition probability
 $R_{4/2} = E(4^+)/E(2^+)$

Systematic in the region

Standard increasing of collectivity

$\Rightarrow R_{4/2} = E(4^+)/E(2^+) \text{ vs } B(E2 : 2^+ \rightarrow 0^+): R_{4/2} \nearrow, B(E2) \nearrow$

$\hookrightarrow \text{Kr does not follows a standard smooth increase of collectivity}$



Systematic in the region


Standard increasing of collectivity

$\Rightarrow R_{4/2} = E(4^+)/E(2^+) \text{ vs } B(E2 : 2^+ \rightarrow 0^+): R_{4/2} \nearrow, B(E2) \nearrow$

\Rightarrow Kr does not follow a standard increase of collectivity

Quid of ^{96}Kr


- How can we resolve this contradiction on the 2_1^+ state energy ?
 \Rightarrow New high resolution γ -ray spectroscopy with isotopic identification
- Does this unexpected trend between $R_{4/2}$ and $B(E2)$ persists at N=60 ?
- What are the consequences on the nuclear ^{96}Kr structure?
 \Rightarrow Need spectroscopic measurements beyond the 2_1^+ state



Experimental setup



AGATA@GANIL: E680 experiment (May 2015)

- Spokesperson: Gilbert Duchêne (IPHC Strasbourg)
- Reaction : Transfer and fusion induced fission:
 $\hookrightarrow {}^{238}\text{U}@6.2\text{ MeV/u} + {}^9\text{Be}$ (1.85 mg/cm^2), $I \sim 6 \times 10^9\text{ pps}$
- Setup : VAMOS++ and AGATA spectrometers




VAMOS++ isotopic identification


Mass identification : Q vs M/Q

Z identification : ΔE vs E

Mass distribution




Z distribution



VAMOS++: Conclusions on VAMOS analysis

Results


- ⇒ Very precise Doppler correction → Agata FWHM = 5.0 keV @ 1.2 MeV (^{98}Zr , $\beta \sim 0.1$)
- ⇒ A set of 205 “well identified” nuclei has been obtained





VAMOS++: Conclusions on VAMOS analysis


Results

- ⇒ Very precise Doppler correction → Agata FWHM = 5.0 keV @ 1.2 MeV (^{98}Zr , $\beta \sim 0.1$)
- ⇒ A set of 205 “well identified” nuclei has been obtained



Spectroscopic results for Kr isotopes: $^{96}\text{Kr}_{60}$ ^{96}Kr spectrum ^{96}Kr spectrum gated on the $2_1^+ \rightarrow 0_1^+$ transition (554 keV)J. Dudouet *et al.*, Phys. Rev. Lett **118**, 162501 (2017)


Level scheme of the N=60 GS band



The ^{96}Kr case : low Z boundary of the $A \sim 100$ island of deformation

Informations from the $R_{4/2} = E(4^+)/E(2^+)$ ratio

- ⇒ Sharp transition at N=60 when moving from Sr to Kr
- ⇒ $R_{4/2}$ value confirms previous observations: ^{96}Kr seems not highly deformed




----- Horizontal lines : schematic view of the nuclear structure evolution (from R. F. Casten, 2001)

The ^{96}Kr case : low Z boundary of the $A \sim 100$ island of deformation

Informations from the $R_{4/2} = E(4^+)/E(2^+)$ ratio

- ⇒ Sharp transition at N=60 when moving from Sr to Kr
- ⇒ $R_{4/2}$ value confirms previous observations: ^{96}Kr seems not highly deformed




----- Horizontal lines : schematic view of the nuclear structure evolution (from R. F. Casten, 2001)

The strange behaviour of Kr nuclei

Usual increasing of collectivity

$\Rightarrow R_{4/2} = E(4^+)/E(2^+)$ vs $B(E2 : 2^+ \rightarrow 0^+)$: $R_{4/2} \nearrow, B(E2) \nearrow$

\hookrightarrow Kr follows an unexpected trend between $R_{4/2}$ and $B(E2)$ up to $N = 58$




The strange behaviour of Kr nuclei

Usual increasing of collectivity

$\Rightarrow R_{4/2} = E(4^+)/E(2^+)$ vs $B(E2 : 2^+ \rightarrow 0^+)$: $R_{4/2} \nearrow, B(E2) \nearrow$


\hookrightarrow Kr follows an unexpected trend between $R_{4/2}$ and $B(E2)$ up to $N = 60$



The strange behaviour of Kr nuclei


New measurements on very neutron rich $^{98-100}\text{Kr}$

- ⇒ Recent results on $^{98-100}\text{Kr}$ suggest a delayed onset of deformation at N=62
 ⇔ $B(E2: 2^+ \rightarrow 0^+)$ not measured



Comparisons to theoretical calculations


- To understand these phenomena, theoretical calculations needs to reproduce:
 - ⇒ The sharp transition at N=60 for Z>36,
 - ⇒ the absence of transition at Z=36,
 - ⇒ the decreasing trend of the $R_{4/2}$ ratio.



----- Horizontal lines : schematic view of the nuclear structure evolution (from R. F. Casten, 2001)

Comparisons to theoretical calculations


- To understand these phenomena, theoretical calculations needs to reproduce:
 - ⇒ The sharp transition at N=60 for Z>36,
 - ⇒ the absence of transition at Z=36,
 - ⇒ the decreasing trend of the $R_{4/2}$ ratio.



----- Horizontal lines : schematic view of the nuclear structure evolution (from R. F. Casten, 2001)

Comparisons to theoretical calculations

- Predictions from mean field calculations not able for the moment to reproduce this transition
- New Monte Carlo Shell-Model calculations performed along the Zr isotopic chain reproduce for the first time the N=60 transition along the Zr isotopic chain
- Could such a model help to understand this strange behavior in the Kr chain ?



Conclusions

Experimental results

- The powerful coupling between AGATA and VAMOS allowed to add new spectroscopic information to the Kr isotopic chain.
- 4_1^+ level established for the first time in ^{96}Kr .
 - ⇒ $R_{4/2}$ value confirms the non observation of sharp transition at N=60 in Kr
 - ⇒ contradicting trend between $R_{4/2}$ and $B(E2; 2^+ \rightarrow 0^+)$ evidenced

Interpretation

- Mean-field approaches fail to reproduce the observed phenomena.
 - ⇒ Opposite $R_{4/2}$ and $B(E2; 2^+ \rightarrow 0^+)$ evolution still puzzling. Could be related to a shape coexistence phenomenon affecting the $R_{4/2}$ ratio.
- MCSM calculations give the first microscopical reproduction of the N=60 transition in Zr nuclei.
 - ⇒ Z>36: transitions generated by a strong $\pi g_{9/2} - \nu g_{7/2}$ coupling.



Thank you for your attention!


And thank you to all the person involved in this experiment:

A. Lemasson, G. Maquart, G. Duchêne, M. Rejmund, E. Clément, F. Didierjean, C. Lizarazo, C. Michelagnoli, F. Nowacki, R. Perez, K. Sieja, O. Stezowski, C. Andreoiu, G. de Angelis, A. Astier, C. Delafosse, I. Deloncle, Z. Dombradi, G. de France, A. Gadea, A. Gottardo, B. Jacquot, P. Jones, T. Konstantinopoulos, A. Korichi, I. Kuti, F. Le Blanc, S.M. Lenzi, G. Li, R. Lozeva, B. Million, D.R. Napoli, A. Navin, C.M. Petrache, N. Pietralla, D. Ralet, M. Ramdhane, C. Schmitt, D. Sohler, D. Verney.

Annexe : Spectroscopic analysis

Possible attributions: systematic on Kr isotopes


- 3_1^- : Energy ? – Intensity ($\sim 0 \rightarrow 30\%$) ? $I(621)/I(554) = 90(25)\%$
- 2_2^+ : Energy ? – Intensity ($\sim 0 \rightarrow 20\%$) ?
- 4_1^+ : Energy ? – Intensity ($\sim 50 \rightarrow 100\%$) ?



Annexe : Spectroscopic analysis

Possible attributions: systematic on Kr isotopes


- 3_1^- : Energy ✗ – Intensity ($\sim 0 \rightarrow 30\%$) ✗
 - 2_2^+ : Energy ✓ – Intensity ($\sim 0 \rightarrow 20\%$) ✗
 - 4_1^+ : Energy ✓ – Intensity ($\sim 50 \rightarrow 100\%$) ✓
- $I(621)/I(554) = 90(25)\%$
- $621 \text{ keV} : 4_1^+(1175 \text{ keV}) \rightarrow 2_1^+(554 \text{ keV})$



Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity

$$\Rightarrow R_{4/2} = E(4^+)/E(2^+) \text{ vs } B(E2; 2^+ \rightarrow 0^+): R_{4/2} \nearrow, B(E2) \nearrow$$


$$\hookrightarrow \text{Kr follows an unexpected trend between } R_{4/2} \text{ and } B(E2) \text{ up to } N = 60$$


Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity

⇒ $R_{4/2} = E(4^+)/E(2^+)$ vs $B(E2 : 2^+ \rightarrow 0^+)$: $R_{4/2} \nearrow, B(E2) \nearrow$

↔ Kr follows an unexpected trend between $R_{4/2}$ and $B(E2)$ up to $N = 60$




Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity

$\Rightarrow R_{4/2} = E(4^+)/E(2^+)$ vs $B(E2 : 2^+ \rightarrow 0^+)$: $R_{4/2} \nearrow, B(E2) \nearrow$

\hookrightarrow Kr follows an unexpected trend between $R_{4/2}$ and $B(E2)$ up to $N = 60$




Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity


⇒ $R_{4/2} = E(4^+)/E(2^+)$ vs $B(E2 : 2^+ \rightarrow 0^+)$: $R_{4/2} \nearrow, B(E2) \nearrow$

↔ Kr follows an unexpected trend between $R_{4/2}$ and $B(E2)$ up to $N = 60$




Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity

 $\Rightarrow R_{4/2} = E(4^+)/E(2^+) \text{ vs } B(E2 : 2^+ \rightarrow 0^+): R_{4/2} \nearrow, B(E2) \nearrow$
 $\hookrightarrow \text{Kr follows an unexpected trend between } R_{4/2} \text{ and } B(E2) \text{ up to } N = 60$


Annexe: The strange behaviour of Kr nuclei

Usual increasing of collectivity

 $\Rightarrow R_{4/2} = E(4^+)/E(2^+) \text{ vs } B(E2 : 2^+ \rightarrow 0^+): R_{4/2} \nearrow, B(E2) \nearrow$
 $\hookrightarrow \text{Kr follows an unexpected trend between } R_{4/2} \text{ and } B(E2) \text{ up to } N = 60$


Annexe: The strange behaviour of Kr nuclei

New measurements on very neutron rich $^{98-100}\text{Kr}$

- ⇒ Recent results on $^{98-100}\text{Kr}$ suggest a delayed onset of deformation at N=62
 ⇔ $B(E2 : 2^+ \rightarrow 0^+)$ not measured

